

Relapse and Relapse Prevention

Adinoff, B., Junghanns, K., Kiefer, F. and Krishnan-Sarin, S. (2005). **Suppression of the HPA axis stress-response: implications for relapse.** *Alcoholism-Clinical and Experimental Research* 29(7): 1351-1355.

Bennett, G.A., Withers, J., Thomas, P.W., et al. (2005). **A randomized trial of early warning signs: relapse prevention training in the treatment of alcohol dependence.** *Addictive Behaviors* 30(6): 1111-1124.

Bischof, G., Rumpf, H-J., Meyer, C., Hapke, U. and John, U. (2005). **Gender differences in temptation to drink, self-efficacy to abstain and coping behavior in treated alcohol-dependent individuals: controlling for severity of dependence.** *Addiction Research and Theory* 13(2): 129-136.

Breese, G.R., Chu, K., Dayas, V. et al. (2005). **Stress enhancement of craving during sobriety : a risk for relapse.** *Alcoholism-Clinical and Experimental Research* 29(2): 185-195.

Clifford, P.R., Maisto, S.A., Stout, R.L., McKay, J.R. and Tonigan, J.S. (2006). **Long-term posttreatment functioning among those treated for alcohol use disorders.** *Alcoholism-Clinical and Experimental Research* 30(2): 311-319.

Cornelius, J. R., Maisto, S. A., Pollock, N. K., et al. (2003). **Rapid relapse generally follows treatment for substance use disorders among adolescents.** *Addictive Behaviors* 28(2): 381-386.

Cunningham, D.S. and Stone, W.E. (2005). **Effects of a drug diversion court on client recidivism .** Chap. 7, pp. 135-149. In: Sims, B., ed. *Substance abuse treatment with correctional clients: practical implications for institutional and community settings.* xviii + 257 pp. New York; Haworth Press.

Daley, D.C. and Marlatt, G.A. (2005). **Relapse prevention .** Chap. 51, pp. 772-785. In: Lowinson, J.H., Ruiz, P., Millman, R.B. and Langrod, J.G., eds. *Substance abuse: a comprehensive textbook.* 4 th ed. xxiv + 1421 pp. Philadelphia; Lippincott Williams and Wilkins.

Daughters, S.B., Lejuez, C.W., Kahler, C.W., Strong, D.R. and Brown, R.A. (2005). **Psychological distress tolerance and duration of most recent abstinence attempt among residential treatment-seeking substance abusers.** *Psychology of Addictive Behaviors* 19(2): 208-211.

Davis, K.E. and O'Neill, S.J. (2005). **A focus group analysis of relapse prevention strategies for persons with substance use and mental disorders.** *Psychiatric Services* 56(10): 1288-1291.

Demmel, R., Nicolai, J., & Jenko, D. M. (2006). **Self-efficacy and alcohol relapse: Concurrent validity of confidence measures, self-other discrepancies, and prediction of treatment outcome.** *Journal of Studies on Alcohol*, 67(4), 637-641.

Domino, K.B., Hornbein, T.F., Polissar, N.L, et al. (2005). **Risk factors for relapse in health care professionals with substance use disorders.** *Journal of the American Medical Association* 293(12): 1453-1460.

Donovan, D.M. (2005). **Assessment of addictive behaviors for relapse prevention.** Chap. 1, pp, 1-48. In: Donovan, D.M. and Marlatt, G.A., eds. *Assessment of addictive behaviors*. 2d ed. xvi + 480 p. New York; Guilford Press.

Drake, R.E., Wallach, M.A. and McGovern, M.P. (2005). **Future directions in preventing relapse to substance abuse among clients with severe mental illnesses.** *Psychiatric Services* 56(10): 1297-1302.

El Geili, E.S.S. and Bashir, T.Z. (2005). **Precipitants of relapse among heroin addicts.** *Addictive Disorders and Their Treatment* 4(1): 29-38.

Falba, T., Teng, H.-M., Sindelar, J.L. and Gallo, W.T. (2005). **The effect of involuntary job loss on smoking intensity and relapse.** *Addiction* 100(9): 1330-1339.

Forman-Hoffman, V., Riley, W. and Pici, M. (2005). **Acute impact of the September 11 tragedy on smoking and early relapse rates among smokers attempting to quit.** *Psychology of Addictive Behaviors* 19(3): 277-283.

Gal, K. and Gyertyan, I. (2006). **Dopamine D3 as well as D2 receptor ligands attenuate the cue-induced cocaine-seeking in a relapse model in rats.** *Drug and Alcohol Dependence* 81(1): 63-70.

Greenfield, S.F., Sugarman, D.E., Muenz, L.R. et al. (2003). **The relationship between educational attainment and relapse among alcohol-dependent men and women: a prospective study.** *Alcoholism-Clinical and Experimental Research* 27(8): 1278-1285.

Harasymiw, J., Forster, I. and Bean, P. (2005). **Using the EDAC test to monitor abstinence and relapses during outpatient treatment.** *Journal of Addictive Diseases* 24(3): 101-113.

Hillemacher, T., Bayerlein, K., Wilhelm, J. et al. (2006). **Recurrent detoxifications are associated with craving in patients classified as type 1 according to Lesch's typology.** *Alcohol and Alcoholism* 41(1): 66-69.

Humke, C. and Radnitz, C.L. (2005). **An instrument for assessing coping with temptation: psychometric properties of the Alcohol Abuse Coping Response Inventory.** *Substance Use and Misuse* 40(1): 37-62.

Ilgen, M. and Moos, R. (2005). **Deterioration following alcohol use disorder treatment in Project MATCH.** *Journal of Studies on Alcohol* 66(4): 517-525.

Junghanns, K., Tietz, U., Dibbelt, L., et al. (2005). **Attenuated salivary cortisol secretion under cue exposure is associated with early relapse .** *Alcohol and Alcoholism* 40(1): 80-85.

Kelly, M., Chick, J., Gribble, R. et al. (2006). **Predictors of relapse to harmful alcohol after orthotopic liver transplantation.** *Alcohol and Alcoholism* 41(3): 278-283.

Kiefer, F., Helwig, H., Tarnaske, T. et al. (2005). **Pharmacological relapse prevention of alcoholism: clinical predictors of outcome.** *European Addiction Research* 11(2): 83-91.

Krahn, D.D., Bohn, M.J., Henk, H.J., Grossman, J.L. and Gosnell, B. (2005). **Patterns of urges during early abstinence in alcohol-dependent subjects.** *American Journal on Addictions* 14(3): 248-255.

Krampe, H., Stawicki, S., Wagner, T. et al. (2006). **Follow-up of 180 alcoholic patients for up to 7 years after outpatient treatment : impact of alcohol deterrents on outcome.** *Alcoholism-Clinical and Experimental Research* 30(1): 86-95.

Lapham, S.C., Kapitula, L.R., C'de Baca, J. and McMillan, G.P. (2006). **Impaired-driving recidivism among repeat offenders following an intensive court-based intervention.** *Accident Analysis and Prevention* 38(1): 162-169.

Long, M.W., Cassidy, B.A., Sucher, M. and Stoehr, J.D. (2006). **Prevention of relapse in the recovery of Arizona health care providers.** *Journal of Addictive Diseases* 25(1): 65-72.

Luchansky, B., He, L., Longhi, D., Krupski, A. and Stark, K.D. (2006). **Treatment readmissions and criminal recidivism in youth following participation in chemical dependency treatment.** *Journal of Addictive Diseases* 25(1): 87-94.

Matto, H. (2005). **A bio-behavioral model of addiction treatment: applying dual representation theory to craving management and relapse prevention.** *Substance Use and Misuse* 40(4): 529-541.

McCarthy, D.M., Tomlinson, K.L., Anderson, K.G., Marlatt, G.A. and Brown, S.A. (2005). **Relapse in alcohol- and drug-disordered adolescents with comorbid psychopathology: changes in psychiatric symptoms.** *Psychology of Addictive Behaviors* 19(1): 28-34.

McKay, J. R., Franklin, T. R., Patapis, N., & Lynch, K. G. (2006). **Conceptual, methodological, and analytical issues in the study of relapse.** *Clinical Psychology Review*, 26(2), 109-127.

McGovern, M.P., Wrisley, B.R. and Drake, R.E. (2005). **Relapse of substance use disorder and its prevention among persons with co-occurring disorders.** *Psychiatric Services* 56(10): 1270-1273.

Medioni, J., Berlin, I. And Mallet, A. (2005). **Increased risk of relapse after stopping nicotine replacement therapies: a mathematical modeling approach.** *Addiction* 100(2): 247-254.

Mertens, J.R., Weisner, C.M. and Ray, G.T. (2005). **Readmission among chemical dependency patients in private, outpatient treatment: patterns, correlates and role in long-term outcome.** *Journal of Studies on Alcohol* 66(6): 842-847.

Moos, R.H. and Moos, B.S. (2006). **Rates and predictors of relapse after natural and treated remission from alcohol use disorders.** *Addiction* 101(2): 212-222.

Prochaska, J.J., Fletcher, L., Hall, S.C. and Hall, S.M. (2006). **Return to smoking following a smoke-free psychiatric hospitalization.** *American Journal on Addictions* 15(1): 15-22.

Ramo, D.E., Anderson, K.G., Tate, S.R. and Brown, S.A. (2005). **Characteristics of relapse to substance use in comorbid adolescents.** *Addictive Behaviors* 30(9): 1811-1823.

Rodd, Z.A., Anstrom, K.K., Knapp, D.J. et al. (2005). **Factors mediating alcohol craving and relapse: stress, compulsivity, and genetics.** *Alcoholism-Clinical and Experimental Research* 29(7): 1325-1333.

Rollins, A.L., O'Neill, S.J., Davis, K.E. and DeVitt, T.S. (2005). **Substance abuse relapse and factors associated with relapse in an inner-city sample of patients with dual diagnoses.** *Psychiatric Services* 56(10): 1274-1281.

Rukstalis, M., Jepson, C., Patterson, F. and Lerman, C. (2005). **Increases in hyperactive-impulsive symptoms predict relapse among smokers in nicotine replacement therapy.** *Journal of Substance Abuse Treatment* 28(4): 297-304.

Scott, C.K., Dennis, M.L. and Foss, M.A. (2005). **Utilizing recovery management checkups to shorten the cycle of relapse, treatment reentry, and recovery.** *Drug and Alcohol Dependence* 78(3): 325-338.

Scott, C.K., Foss, M.A. and Dennis, M.L. (2005). **Pathways in the relapse-treatment-recovery cycle over 3 years.** *Journal of Substance Abuse Treatment* 28(Suppl. 1): S63-S72.

Segan, C.J., Borland, R. and Greenwood, K.M. (2006). **Can transtheoretical model measures predict relapse from the action stage of change among ex-smokers who quit after calling a quitline?** *Addictive Behaviors* 31(3): 414-428.

Shanahan, C.W., Lincoln, A., Horton, N.J., Saitz, R., Winter, M. and Samet, J.H. (2005). **Relationship of depressive symptoms and mental health functioning to repeat detoxification.** *Journal of Substance Abuse Treatment* 29(2): 117-123.

Shiffman, S. (2006). **Reflections on smoking relapse research.** *Drug and Alcohol Review* 25(1): 15-20.

Siahpush, M. and Carlin, J.B. (2006). **Financial stress, smoking cessation and relapse: results from a prospective study of an Australian national sample.** *Addiction* 101(1): 121-127.

Smyth, N.J. and Wiechelt, S.A. (2005). **Drug use, self-efficacy, and coping skills among people with concurrent substance abuse and personality disorders: implications for relapse prevention.** *Journal of Social Work Practice in the Addictions* 5(4): 63-79.

Stevens, P. (2005). **Sustaining behavior change: relapse prevention strategies.** Chap. 10, pp. 291-313. In: Stevens, P. and Smith, R.L., eds. *Substance abuse counseling: theory and practice.* 3d ed. xx + 388 pp. Upper Saddle River, NJ; Pearson Education.

Strasser, A.A., Kaufmann, V., Jepson, C. et al. (2005). **Effects of different nicotine replacement therapies on postcessation psychological responses.** *Addictive Behaviors* 30(1): 9-17.

Tims, F. M., Leukefeld, C. G. and Platt, J. J., eds. (2001). *Relapse and recovery in addictions.* xii + 420 pp. New Haven, CT; Yale University Press.

Tomlinson, K.L., Tate, S.R., Anderson, K.G., McCarthy, D.M. and Brown, S.A. (2006). **An examination of self-medication and rebound effects: psychiatric symptomatology before and after alcohol or drug relapse.** *Addictive Behaviors* 31(3): 461-474.

Tucker, J. A., Foushee, H. R., Black, B. C., & Roth, D. L. (2007). **Agreement between prospective interactive voice response self-monitoring and structured retrospective reports of drinking and contextual variables during natural resolution attempts.** *Journal of Studies on Alcohol and Drugs*, 68(4), 538-542.

Turkcapar, H., Kose, S., Ince, A. and Myrick, H. (2005). **Beliefs as a predictor of the relapse in alcohol-dependent Turkish men.** *Journal of Studies on Alcohol* 66(6): 848-851.

Wellman, R.J., DiFranza, J.R., Savageau, J.A. et al. (2006). **The effect of abstinence on cigarette consumption upon the resumption of smoking.** *Addictive Behaviors* 31(4): 711-716.

Witkiewitz, K. (2005). **Defining relapse from a harm reduction perspective.** *Journal of Evidence-Based Social Work* 2(1-2): 191-206.

Witkiewitz, K., & Marlatt, G. A. (2005). **Emphasis on interpersonal factors in a dynamic model of relapse.** *American Psychologist*, 60(4), 341-342.

Xie, H., McHugo, G.J., Fox, M.B. and Drake, R.E. (2005). **Substance abuse relapse in a ten-year prospective follow-up of clients with mental and substance use disorders.** *Psychiatric Services* 56(10): 1282-1287.

Zironi, I., Burattini, C., Aicardi, G., & Janak, P. H. (2006). **Context is a trigger for relapse to alcohol.** *Behavioural Brain Research*, 167(1), 150-155.

Zywiak, W. H., Stout, R. L., Trefry, W. B et al. (2003). **Alcohol relapses associated with September 11, 2001: a case report.** *Substance Abuse* 24(2): 123-128.